

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/07/2022


Reviewed on 11/07/2022

<b>Identificatio</b>	1
Product identij	
· Trade name: <u>C</u>	Dpalescence <sup>TM</sup> Whitening Sensitivity Toothpaste
	r: SDS 366-001.06, 1001303 the substance / the mixture Toothpaste
• Manufacturer/ Ultradent Proa 505 W. Ultrade South Jordan, USA	
• Emergency tel CHEMTREC (1	partment: Customer Service ephone number: NORTH AMERICA) :(800) 424-9300 NTERNATIONAL) : +(703) 527-3887
2 Hazard(s) id	lentification
· Classification	of the substance or mixture
GHS	07
Eve Irritation 2	PA H319 Causes serious eve irritation.
<i>Eye Irritation 2</i> <i>Sensitization -</i>	PA H319 Causes serious eye irritation. Skin 1 H317 May cause an allergic skin reaction.
•	Skin 1 H317 May cause an allergic skin reaction. ments Void rams GHS07
Sensitization - · Label elements · GHS label elen · Hazard pictogi · Signal word W	Skin 1 H317 May cause an allergic skin reaction. nents Void ams GHS07 arning
Sensitization - Label elements GHS label elem Hazard pictogr Signal word W Health Hazard Oils, Peppermi	Skin 1 H317 May cause an allergic skin reaction. ments Void rams GHS07 arning -determining components of labeling: nt
Sensitization - Label elements GHS label elem Hazard pictogr Signal word W Health Hazard Oils, Peppermi Hazard statem	Skin 1 H317 May cause an allergic skin reaction. ments Void rams GHS07 farning -determining components of labeling: nt ents
Sensitization - J Label elements GHS label elem Hazard pictogr Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s	Skin 1 H317 May cause an allergic skin reaction. ments Void rams GHS07 arning -determining components of labeling: nt
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary	Skin 1 H317 May cause an allergic skin reaction. ments Void rams GHS07 farning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261	Skin 1 H317 May cause an allergic skin reaction. ments Void rams GHS07 farning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261 P264	Skin 1 H317 May cause an allergic skin reaction. ments Void cams GHS07 carning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling.
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261 P264 P272	Skin 1 H317 May cause an allergic skin reaction. ments Void cams GHS07 arming -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261 P264 P272 P280	Skin 1 H317 May cause an allergic skin reaction. ments Void ams GHS07 arning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection.
Sensitization - J · Label elements · GHS label elements · Hazard pictogi · Signal word W · Health Hazard Oils, Peppermi · Hazard statem H319 Causes s H317 May cau. · Precautionary P261 P264 P272 P280 P302+P352	Skin 1 H317 May cause an allergic skin reaction. Ments Void ams GHS07 arning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.
Sensitization - J · Label elements · GHS label elements · Hazard pictogi · Signal word W · Health Hazard Oils, Peppermi · Hazard statem H319 Causes s H317 May cau. · Precautionary P261 P264 P272 P280 P302+P352	Skin 1 H317 May cause an allergic skin reaction. ments Void cams GHS07 carning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. 2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen
Sensitization - J Label elements GHS label elem Hazard pictogr Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau Precautionary P261 P264 P272 P280 P302+P352 P305+P351+F	Skin 1 H317 May cause an allergic skin reaction. Ments Void ments Void ments GHS07 farning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. 2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261 P264 P272 P280 P302+P352 P305+P351+F P333+P313	Skin 1 H317 May cause an allergic skin reaction. ments Void ams GHS07 arning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. 2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention.
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261 P264 P272 P280 P302+P352 P305+P351+F P333+P313 P321	Skin 1 H317 May cause an allergic skin reaction. ments Void ams GHS07 arning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. 2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).
Sensitization - J Label elements GHS label elem Hazard pictogi Signal word W Health Hazard Oils, Peppermi Hazard statem H319 Causes s H317 May cau. Precautionary P261 P264 P272 P280 P302+P352 P305+P351+F P333+P313	Skin 1 H317 May cause an allergic skin reaction. ments Void ams GHS07 arning -determining components of labeling: nt ents erious eye irritation. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. 2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention.

Printing date 11/07/2022

Reviewed on 11/07/2022

### Trade name: Opalescence<sup>TM</sup> Whitening Sensitivity Toothpaste



## 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
112926-00-8	Synthetic Amorphous Silica	>10-<30%	
56-81-5	Glycerin	>10-<30%	
7757-79-1	Potassium Nitrate	>1-<10%	
	Trade Secret	>1-<10%	
	Methyl Salicylate	>1-<10%	
151-21-3	Sodium Lauryl Sulfate	<i>≤</i> 1%	
	Oils, Peppermint	<1%	
	Sodium Fluoride	<1%	
1310-73-2	Sodium Hydroxide	<1%	

### • Additional information:

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

### 4 First-aid measures

### • Description of first aid measures

• After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low. Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• *After swallowing:* If swallowed in large quantities seek medical attention.

• Information for doctor:

• *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 3)

Printing date 11/07/2022

Reviewed on 11/07/2022

### Trade name: Opalescence<sup>™</sup> Whitening Sensitivity Toothpaste

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

## 5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents:

Water fog

Water mist

Water spray

Foam, dry chemical, carbon dioxide

Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture No further relevant information available.

• Advice for firefighters

· Protective equipment: Wear fully protective suit.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

See product labelling.

Keep receptacle tightly sealed.

• Specific end use(s) Toothpaste

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

US -

Printing date 11/07/2022

Reviewed on 11/07/2022

### Trade name: Opalescence<sup>TM</sup> Whitening Sensitivity Toothpaste

(Contd. of page 3)

· Com	<b>rol parameters</b> <b>ponents with limit values that require monitoring at the workplace:</b> following constituents are the only constituents of the product which have a PEL, TLV or other recommended
	sure limit.
	is time, the other constituents have no known exposure limits.
	26-00-8 Synthetic Amorphous Silica
	20mppcf or 80mg/m3 /%SiO2
REL	Long-term value: 6 mg/m <sup>3</sup> See Pocket Guide App. C
TLV	TLV withdrawn
56-81	I-5 Glycerin
PEL	Long-term value: 15* 5** mg/m <sup>3</sup>
	mist; *total dust **respirable fraction
	TLV withdrawn-insufficient data human occup. exp.
	e Secret
TWA	Short-term value: 0.8 mg/m <sup>3</sup>
1310	-73-2 Sodium Hydroxide
PEL	Long-term value: 2 mg/m <sup>3</sup>
REL	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV	Ceiling limit value: 2 mg/m <sup>3</sup>
· Addi	tional information: The lists that were valid during the creation were used as basis.
Perso Gene Keep Imme Wash Avoid Avoid Brea In ca respin	sure controls onal protective equipment: ral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. hands before breaks and at the end of work. hands before breaks and at the end of work. contact with the eyes. contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use ratory protective device that is independent of circulating air. tection of hands:
N	Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 11/07/2022

Reviewed on 11/07/2022

Trade name: Opalescence<sup>TM</sup> Whitening Sensitivity Toothpaste

• Eye protection:

(Contd. of page 4)



\*

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical proper	rties		
· Information on basic physical and	· Information on basic physical and chemical properties		
· General Information	I I I I I I I I I I I I I I I I I I I		
· Appearance:			
Form:	Gel		
Color:	Blue Green		
· Odor:	Mint		
· Odor threshold:	Not determined.		
· pH-value at 20 °C:	6.3-7.6		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined		
· Flash point:	Not applicable		
· Flammability (solid, gaseous):	Not applicable.		
• Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
• Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not determined.		
· Density at 20 °C:	$1.26-1.55 \text{ g/cm}^3$		
· Relative density	Not determined		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Partly soluble		
· Partition coefficient (n-octanol/wat	er): Not determined.		
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined		
· Other information	No further relevant information available.		

# **10 Stability and reactivity**

· Reactivity Stable

(Contd. on page 6)

US

Printing date 11/07/2022

Reviewed on 11/07/2022

## Trade name: Opalescence<sup>™</sup> Whitening Sensitivity Toothpaste

(Contd. of page 5)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid
- Light
- Ignition sources
- Heat
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

ATE (Acı	te Toxicity Estimate)	
Oral	LD50	11,399-12,631 mg/kg
Dermal	LD50	70,000 mg/kg
Inhalative	e LC50/4 h	2.63 mg/l
112926-0	0-8 Synthetic Amorphous Sil	lica
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
56-81-5 C	Flycerin	
Oral	LD50	7,750 mg/kg (Guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
77 <b>57-79-</b> ]	l Potassium Nitrate	
Oral	LD50	3,015 mg/kg (rat)
		1,901 mg/kg (rabbit)
	LC50 Fish	1,378 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)
Trade Sec	cret	
Oral	LD50	>15,000 mg/kg (mouse)
		>3,300 mg/kg (rat)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	e LC50/4 h	0.139 mg/l (rat)
119-36-8	Methyl Salicylate	
Oral	LD50	887 mg/kg (rat)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/07/2022

Reviewed on 11/07/2022

# Trade name: Opalescence<sup>TM</sup> Whitening Sensitivity Toothpaste

		(Contd. of pag 2,800 mg/kg (rabbit)
	LC50 Fish	19.8 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rabbit)
	Sodium Lauryl Sulfate	
Oral	LD50	1,288 mg/kg (rat)
	LC50 Fish	14.67-15.51 mg/l (Fish)
	LC50(Daphnia magna) (static)	
8006-90-	4 Oils, Peppermint	
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)
7681-49-	4 Sodium Fluoride	
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)
1310-73-	2 Sodium Hydroxide	
Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)
on the ey Sensitiza Addition The prod Irritant	cin: No irritant effect. Se: Irritating effect. tion: Sensitization possible throug al toxicological information: luct shows the following dangers a genic categories	gh skin contact. according to internally approved calculation methods for preparation
-	enic calegories nternational Agency for Research	on Cancer)
	4 Sodium Fluoride	·····
	4 Polyacrylic Acid	
	tional Toxicology Program)	
	the ingredients is listed.	
None of t		
None of t <b>OSHA-C</b>	a (Occupational Safety & Health	Administration)
None of t <b>OSHA-C</b>		Administration)

• Toxicity		
• Aquatic toxicity:		
56-81-5 Glycerin		
EC50	>10,000 mg/kg (Bacteria)	
Trade Secret		
EC50	>1,000 mg/kg (daphnia)	
		(Contd. on page 8)

Printing date 11/07/2022

Reviewed on 11/07/2022

# Trade name: Opalescence<sup>TM</sup> Whitening Sensitivity Toothpaste

	(Contd. of page
119-36-8 Methyl Salic	ylate
EC50	28 mg/kg (daphnia)
Aqua toxicity	1.6 mg/l (Algae)
151-21-3 Sodium Lau	ryl Sulfate
EC50 (static)	16.5 mg/kg (Crustacean)
	50.6-52.3 mg/kg (daphnia)
7681-49-4 Sodium Fla	uoride
EC50	272 mg/kg (Algae)
	98 mg/kg (daphnia)
Algae Toxicity (static)	7 mg/l (Algae)
1310-73-2 Sodium Hy	droxide
EC50	40.38 mg/kg (Water Flea)
	dability No further relevant information available.
· Behavior in environm	
	ntial No further relevant information available.
	ther relevant information available.
Additional ecological	information:
General notes:	
Water hazard class 1 (	Self-assessment): slightly hazardous for water
Do not allow undiluted	d product or large quantities of it to reach ground water, water course or sewage system.
· Results of PBT and vi	PvB assessment
<b>PBT:</b> Not applicable.	
D. D. Not applicable	

· **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Dispose of contents/container in accordance with international, federal, state, and local regulations.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, IMDG, IATA	Not Regulated	
· UN proper shipping name		
DOT, IMDG, IATĂ	Not Regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, IMDG, IATA	Not Regulated	

Printing date 11/07/2022

Reviewed on 11/07/2022

Trade name: Opalescence<sup>TM</sup> Whitening Sensitivity Toothpaste

		(Contd. of page 8)
· Environmental hazards:	Not Applicable.	
· Special precautions for user	Not Applicable	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not Applicable.	
· UN "Model Regulation":	Not Regulated	

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Sara		
	5 (extremely hazardous substances):	
ě	e ingredients is listed.	
	3 (Specific toxic chemical listings):	
7757-79-1	Potassium Nitrate	
· TSCA (Tox	cic Substances Control Act):	
	Glycerin	ACTIVE
	Potassium Nitrate	ACTIVE
	Methyl Salicylate	ACTIVE
	Sodium Lauryl Sulfate	ACTIVE
	Oils, Peppermint	ACTIVE
	Sodium Fluoride	ACTIVE
1310-73-2	Sodium Hydroxide	ACTIVE
· Hazardous	Air Pollutants	
None of the	e ingredients is listed.	
· Proposition	n 65	
· Chemicals	known to cause cancer:	
None of the	e ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for males:	
	e ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
	e ingredients is listed.	
· Carcinoge	nic categories	
-	ronmental Protection Agency)	
,	e ingredients is listed.	
· ACGIH Ca	rcinogenicity (American Conference of Governmental Industrial Hygienists)	
7681-49-4	Sodium Fluoride	A4
	a (National Institute for Occupational Safety and Health)	
None of the	e ingredients is listed.	
		(Contd. on page 10)

US

(Contd. of page 9)

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/07/2022

Reviewed on 11/07/2022

### Trade name: Opalescence<sup>™</sup> Whitening Sensitivity Toothpaste

· Chemical safety assessment:

The product meets the toxicological profile required for cosmetics per the EU cosmetic regulation, Regulation (EC) No. 1223/2009.

This product meets the toxicological requirements of the US Food, Drugs, and Cosmetics Act.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environmental, Health, and Safety
- · Contact: Customer Service

• Date of preparation / last revision 11/07/2022 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 • \* Data compared to the previous version altered.