

SAFETY DATA SHEET

ULTRADENT[®]
PRODUCTS, INC.

Date Issued: 05/09/2008

MSDS No: 216-001.1

Ultrapro™ Tx Lubricant

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Ultrapro™ Tx Lubricant
PRODUCT DESCRIPTION: Handpiece lubricant

MANUFACTURER

Ultradent Products, Inc.
505 W. 10200 S.
South Jordan UT 84095

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Content
Metalworking Lubricant	100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Product is not hazardous per Workplace Hazardous Materials Information System (WHMIS). None of the components of this product at concentrations greater than or equal to 0.1% are listed as a carcinogen or potential carcinogen by NTP, IARC, and OSHA.

POTENTIAL HEALTH EFFECTS

EYES: Contact may cause eye irritation.
SKIN: May cause skin irritation.
INGESTION: Poses little or no immediate hazard.

4. FIRST AID MEASURES

EYES: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

ADDITIONAL INFORMATION: EFFECTS OF OVEREXPOSURE: Prolonged and/or repeated inhalation may cause irritation to mucous membranes and respiratory passages. Prolonged and/or repeated contact can cause varying degrees of skin and eye irritation.

5. FIRE FIGHTING MEASURES

EXPLOSION HAZARDS: None Expected.

FIRE FIGHTING PROCEDURES: General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

FIRE FIGHTING EQUIPMENT: Water spray, fog, or mist, foam, dry chemical, carbon dioxide.

SAFETY DATA SHEET

ULTRADENT[®]
PRODUCTS, INC.

Date Issued: 05/09/2008

MSDS No: 216-001.1

Ultrapro™ Tx Lubricant

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wipe up with cloth, soap, and water.

LARGE SPILL: Absorb with inert, damp non-combustible material, then flush area with water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Do not allow to enter sewers or drains that may lead to waterways.

GENERAL PROCEDURES: Depending on the concentration in air, ensure ventilation or local exhaust especially for enclosed space.

SPECIAL PROTECTIVE EQUIPMENT: S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

COMMENTS: Good industrial hygiene should be followed.

7. HANDLING AND STORAGE

HANDLING: S16: Keep away from sources of ignition - No Smoking.

STORAGE: Store in a tightly closed container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear eye protection.

SKIN: S36/37: Wear suitable protective clothing and gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

FLASHPOINT AND METHOD: ~ 170°C (338°F)

AUTOIGNITION TEMPERATURE:

Notes: Not Available

PHYSICAL STATE: Liquid

ODOR: No characteristic odor

COLOR: Clear

PERCENT VOLATILE: Non-volatile

10. STABILITY AND REACTIVITY

STABILITY: Stable when stored and handled under recommended conditions.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

SAFETY DATA SHEET

ULTRADENT[®]
PRODUCTS, INC.

Date Issued: 05/09/2008

MSDS No: 216-001.1

Ultrapro™ Tx Lubricant

11. TOXICOLOGICAL INFORMATION

COMMENTS: None known.

12. ECOLOGICAL INFORMATION

COMMENTS: None known.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in compliance with governmental regulation (EC 1975L0442-20/11/2003)

14. TRANSPORT INFORMATION

ROAD AND RAIL (ADR/RID)

HAZARD CLASS: No classification

AIR (ICAO/IATA)

PRIMARY HAZARD CLASS/DIVISION: No classification

VESSEL (IMO/IMDG)

PRIMARY HAZARD CLASS/DIVISION: No classification

15. REGULATORY INFORMATION

16. OTHER INFORMATION

PREPARED BY: Iris McCallister

REVISION SUMMARY: New MSDS

MANUFACTURER DISCLAIMER: FOR DENTAL USE ONLY: Use as directed.

The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, Ultradent Products, Inc., makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.